



FZ-SC5M3

FZ Camera, high resolution 5 Mpixel CMOS Sensor, color

Specifications

Number of pixels	5.0 MP
Autofocus	✘
Camera family	FH/FZ
Camera type	Color
Frame rate	26.5 fps
Illumination	None
Image width	2448 pixels
Image height	2048 pixels
Scan type	Area scan
Shutter type	Global
Image sensor format	2/3"
Image sensor type	CMOS
Lens mount	C-mount
Lens type	Not Applicable
Pixel size	3.45 μm
Degree of protection (IP)	IP10

Accessories

















3Z4S-LE SV-0614H

Accessory vision, lens 6 mm, high resolution, low distortion



3Z4S-LE SV-0614V

Accessory vision, lens 6 mm

	3Z4S-LE SV-0813V	Accessory vision, lens 8 mm
	3Z4S-LE SV-0814H	Accessory vision, lens 8 mm, high resolution, low distortion
	3Z4S-LE SV-1214H	Accessory vision, lens 12 mm, high resolution, low distortion
	3Z4S-LE SV-1214V	Accessory vision, lens 12 mm
	3Z4S-LE SV-1614H	Accessory vision, lens 16 mm, high resolution, low distortion
	3Z4S-LE SV-1614V	Accessory vision, lens 16 mm
	3Z4S-LE SV-2514H	Accessory vision, lens 25 mm, high resolution, low distortion
	3Z4S-LE SV-3514H	Accessory vision, lens 35 mm, high resolution, low distortion
	3Z4S-LE SV-5014H	Accessory vision, lens 50 mm, high resolution, low distortion
	FZ-VS3 10M	Accessory vision, FH and FZ, standard camera cable, 10m
	FZ-VS3 3M	Accessory vision, FH and FZ, standard camera cable, 3m
	FZ-VS3 5M	Accessory vision, FH and FZ, standard camera cable, 5m
	FZ-VS4 15M	Accessory vision, FH and FZ, camera cable, long distance, 15m
	FZ-VSB3 10M	Accessory vision, FH and FZ, camera cable, bend resistant, 10 m



FZ-VSB3 5M

Accessory vision, FH and FZ, camera cable, bend resistant, 5 m

FZ-VSJ

FZ Camera cable extension hub (max 3 cables 45m)



FZ-VSL3 10M

Accessory vision, FH and FZ, camera cable, standard, right angled connector, 10 m



FZ-VSL3 5M

Accessory vision, FH and FZ, camera cable, standard, right angled connector, 5m

CAD Library



EAC Mark removal Discontinuation Notice

EN PDF 221 KB



FH & FHV Launcher V651

Software

EN ZIP 490 KB



FH Simulator Installation V6.51

Software

EN ZIP 89.6 MB



FH-Sim Installation V631 Software

EN ZIP 34.1 MB



FH-Sim Installation V640 Software

EN ZIP 41.9 MB



FH-series Vision System Datasheet

EN PDF 11.7 MB



FH/FHV Launcher V631 Software

EN ZIP 488 KB



FH/FHV Launcher V640 Software

EN ZIP 489 KB



FHV Software Inst 32bit v651

Software

EN ZIP 33.6 MB



FZ-SC5M3/S5M3 Instruction Sheet

EN PDF 3.37 MB



Selection Guide for Vision Sensors

Brochure

EN PDF 991 KB



Sysmac Catalogue


EN PDF 43.5 MB



Sysmac: A Fully Integrated Platform

Brochure

EN PDF 19.1 MB



Vision Accessory Catalogue

EN PDF 51.4 MB